## **SAFETY DATA SHEET**

Issuing Date 1/5/16 Revision Date 10/14/2014 Revision Number 0

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

#### **GHS Product Identifier**

Product Name: Preval

### Other means of Identification

Synonyms: none

#### Recommended use of the chemical and restrictions on use

Recommended Use: No information available
Uses advised against: No information available

 $\cdot$  Details of the supplier of the safety data sheet

MANUFACTURED FOR: BHG Import Exports Inc. 715 N Central Ave. Suite 213 Glendale CA 91203 United States

- · Information department: Product safety department
- · Emergency telephone number: 24 Hrs Emergency Contact: CHEMTREC 628320

FOR USA AND CANADA: 1-800 424- 9300 OUTSIDE USA AND CANADA: +1 703 -527- 3887

#### 2. HAZARD IDENTIFICATION

# Classification

Serious Eye Damage/Eye Irritation	Category 2A	
Specific Target Organ Systemic toxicity (Single Exposure)	Category 3	
Simple Asphyxiant	Yes	
Flammable Aerosols	Category 1	
Gases Under Pressure		

## **GHS label elements, including precautionary statements**

## **EMERGENCY OVERVIEW**

# Signal Word Danger

## **Hazard Statements**

- Causes serious eye irritation
- May cause respiratory irritation
- May cause drowsiness or dizziness
- Extremely flammable aerosol









**Appearance** Clear

**Physical State** Aerosol

**Odor** Odor Fragranced

#### **Precautionary Statements**

#### Prevention

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.
- Wash face, hands and any exposed skin thoroughly after handling.
- Wear eye/face protection.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Use only outdoors or in a well-ventilated area.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- Do not spray on an open flam or other ignition source.
- Pressurized container: Do no pierce or burn, even after use.

#### **General Advice**

• If exposed or concerned: Get medical attention/advice

#### Eyes

- IF IN EYES: Rinse cautionsly with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.

#### Inhalation

• IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

## Storage

- Store locked up.
- Store in a well-ventilated place. Keep container tightly closed.
- Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F

#### Disposa

• Dispose of contents/container to an approved waste disposal plant.

## **Hazzard Not Otherwise Classifed (HNOC)**

Rapid evaporation of the liquid may cause frostbite.

#### Other information

May be harmful if inhaled. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Dimethyl Ether	115-10-6	< 55	*
Isobutane	75-28-5	< 30	*
Propane	74-98-6	< 30	*

#### 4. FIRST AID MEASURES

#### Description of necessary first-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention immediately if irritation persists.

**Skin Contact**Wash off with warm water and soap. In case of contact with liquefied gas, thaw frosted parts

with lukewarm water. Get medical attention if symptoms occur.

**Inhalation** IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If

not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical

**Ingestion** Not an expected route of exposure

#### Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Eye irritation/reactions. Frostbite. Drowsiness. Dizziness. Simple asphyxiant.

#### Indication of immediate medical attention and special treatment needed, if necessary

**Notes to Physician** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Carbon dioxide (CO 2). Dry chemical. Alcohol-resistant foam. Water fog.

**Unsuitable Extinguishing Media**No information available.

## **Specific Hazards Arising from the Chemical**

No information available.

Hazardous Combustion Products

Thermal decomposition can lead to release of irritating and

toxic gases and vapors: Carbon oxides. Nitrogen oxides (NOx).

**Explosion Data** 

Sensitivity to Mechanical Impact Yes
Sensitivity to Static Discharge Yes

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Contents under pressure. Remove all sources of ignition. Do not puncture or incinerate cans.

Avoid contact with skin, eyes and clothing. Do not touch damaged containers or spilled

material

**Environmental Precautions** 

**Environmental Precautions** See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Cleaning Up** Pick up and transfer to properly labeled containers. Cover liquid spill with sand, earth or

other noncombustible absorbent material. Clean contaminated surface thoroughly.

#### 7. HANDLING AND STORAGE

Precautions for safe handling

**Handling** Contents under pressure. Keep away from open flames, hot surfaces and sources of ignition.

Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities

**Storage** Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other

chemicals.

**Incompatible Products** Strong oxidizing agents.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Dimethyl Ether 115-10-6	TWA: 1000 ppm	TWA: 1000 ppm	TWA: 1000 ppm

**Appropriate engineering controls** 

Engineering Measures Showers

Eyewash stations Ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** No protective equipment is needed under normal use conditions. Risk of contact, wear:

Safety glasses with side-shields.

**Skin and Body Protection**No protective equipment is needed under normal use conditions. Lightweight protective

clothing. Protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion.

**Respiratory Protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, approved respiratory protection should be worn.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### <u>Information on basic physical and chemical properties</u>

Physical State Aerosol Appearance Clear

Odor ether Odor Threshold No information available

Property Values Remarks/ - Method

pHNo data availableEnter hereMelting Point/RangeNo data availableEnter hereBoiling Point/Boiling Range-42.2 to -11.7º Cfor concentrate

Flash Point No data available

**Evaporation rate** No data available Enter here

Flammability (solid, gas) No data available Enter here No data available Flammability Limits in Air Enter here upper flammability limit No data available Enter here lower flammability limit No data available Enter here **Vapor Pressure** 45-55 psig @ 70 F Enter here **Vapor Density** No data available Enter here 0.6 **Specific Gravity** water = 1 **Water Solubility** 3.50% Enter here Solubility in other solvents No data available Enter here Partition coefficient: n-octanol/water No data available Enter here No data available **Autoignition Temperature** Enter here No data available **Decomposition Temperature** Enter here

Flammable Properties Not Flammable Enter here

No data available

Explosive PropertiesNo data availableEnter hereOxidizing PropertiesNo data availableEnter here

Other information

VOC Content (%) 100%

## **10. STABILITY AND REACTIVITY**

Enter here

#### Reactivity

Viscosity

Not reactive under normal conditions.

### **Chemical stability**

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

## **Hazardous Polymerization**

Hazardous polymerization does not occur.

### **Conditions to avoid**

Heat, flames and sparks.

## **Incompatible materials**

Strong oxidizing agents

## **Hazardous decomposition products**

Carbon oxides. Nitrogen oxides (NOx).

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** 

**Inhalation** May cause irritation of respiratory tract. May cause drowsiness and dizziness.

Intentional misuse by deliberately concentrating and inhaling contents may be

**Eye Contact** Contact with eyes may cause serious eye irritation based on the components present

within the product.

**Skin Contact** Contact with product may cause frostbite.

**Ingestion** May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Dimethyl Ether		-	=308.5 mg/L
Isobutane			658 mg/L
Propane			658 mg/L

### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Eye contact with liquid may cause irritation including stinging, burning, tearing, or reddening

of the eyes. Avoid skin contact with leaking liquid (danger of frostbite).

### Delayed and immediate effects and also chronic effects from short and long term exposure

SensitizationNo information available.Mutagenic EffectsNo information available.CarcinogenicityNo information available.

Chemical Name	ACGIH	IARC	NTP	OSHA

**Reproductive Toxicity** No information available.

**STOT - single exposure** May cause respiratory irritation. May cause drowsiness or dizziness.

STOT - repeated exposure No information available.

Aspiration Hazard No information available.

## **Numerical measures of toxicity - Product**

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral LD50 Dermal Inhalation

Vapor

#### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)

**Persistence and Degradability** 

No information available.

**Bioaccumulation** 

No information available.

Chemical Name	Log Pow
Dimethyl Ether	-0.18
Isobutane	2.89
Propane	2.3

### **Other Adverse Effects**

No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Methods** 

Dispose of in accordance with federal, state, and local regulations.

**Contaminated Packaging** 

Do not re-use empty containers.

### 14. TRANSPORT INFORMATION

Ground

Refer to TDG regulations (Canadian Transportation of Dangerous Goods regulations);

**USA DOT** 

(49 cfr 173.173 b(2), Consumer Commodity (49 cfr 173.150(c) and 49 CFR (Parts 100 to 185) Regulations

**Limited Quantity** 



UN number: UN1950 Shipping Name:

AEROSOLS, flammable

Class: 2.1

Packing Group: Not applicable

Marine Pollutant: No

Air

Refer to ICAO-IATA Dangerous Goods Regulations.

Limited Quantity
Max Net Qty/Pkg =
30 kg Gross



UN number: UN1950 Shipping Name:

AEROSOLS, flammable

Class: 2.1

Packing Group: Not applicable

Marine Pollutant: No



#### Sea

Refer to IMDG regulations.



UN number: UN1950 Shipping Name: AEROSOLS, flammable

Class: 2.1

Packing Group: Not applicable

Marine Pollutant: No

*Note:* Shipper must be appropriately trained and certified before involvement with the transport of dangerous goods.

#### 15. REGULATORY INFORMATION

### **International Inventories**

**TSCA** All components of this product are either listed or are exempt on the TSCA inventory.

**DSL** Substances comply or are exempt

#### Legend

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

#### **U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %

## SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardYesFire HazardYesSudden Release of Pressure HazardYesReactive HazardNo

#### **Clean Water Act**

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances

### **CERCLA**

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ

### **U.S. State Regulations**

### **California Proposition 65**

Chemical Name	CAS-No	California Prop. 65

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island

#### **U.S. EPA Label Information**

**EPA Pesticide Registration Number** 

Not applicable

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard 2	Flammability 4	Instability 0	Physical and Chemical Hazards
<u>HMIS</u>	Health Hazard 2*	Flammability 4	Physical Hazard 0	Personal Protection X

<sup>\*</sup>Indicates a chronic health hazard.

# **Prepared By**

**BHG Import Exports Inc.** 715 N Central Ave. Suite 213 Glendale CA 91203 United States

Issuing Date20-Oct-14Revision Date20-Oct-14Revision NoteInitial Release.

## **General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Safety Data Sheeet